

## INDIAN INSTITUTE OF MANAGEMENT RAIPUR भारतीय प्रबंधन संस्थान रायपुर

#### Tender Reference NO: IIMR/EM&ES/09/2025-26 dated 12/04/2025

**Name of the work:** Tender for Execution of Miscellaneous Civil, Plumbing, Aluminum work and Electrical works related to construction of base/platform for washing machines at 05 Nos Hostel Block and Supply of Electronics items for Hostels 05 Nos Hostel Block IIM Raipur.

Client CAO /मुख्र प्रशासनिक अनिकारी INDIAN INSTITUTE OF MANAGEMENT RAIPUR Atal Nagar, P. O. –Kurru (Abhanpur), Raipur (C.G.) Pin Code 493661 Telephone: +91-771-2474600 **भारतीय प्रबंधन संस्थान रायपुर** अटल िगर, पी.ओ.-कुर्रू (अभिपुर), रायपुर (सी.जी.) पपि कोड -493 661 टेलीफोि: 91-771-2474600

#### INDIAN INSTITUTE OF MANAGEMENT RAIPUR

#### Tender No. IIMR/EM&ES/09/2025-26 dated 12/04/2025)

#### NOTICE INVITING TENDERS

IIM Raipur invites e-tender (online tender through CPP Portal) from reputed and experienced agencies under two bid system Technical Bid (Part-I) & Financial Bid (Part-II) professional agencies for the work mentioned below:

Name of the work: Tender for Execution of Miscellaneous Civil, Plumbing, Aluminum work and Electrical works related to construction of base/platform for washing machines at 05 Nos Hostel Block and Supply of Electronics items for Hostels 05 Nos Hostel Block IIM Raipur.

Location of site: IIM Raipur, Atal Nagar, P. O. –Kurru (Abhanpur), Raipur (C.G.) Pin Code 493661

The schedule and other details of Tender are as under:

Tender Name	Tender for Execution of Miscellaneous Civil, Plumbing, Aluminum work and Electrical works related to construction of base/platform for washing machines at 05 Nos Hostel Block and Supply of Electronics items for Hostels 05 Nos Hostel Block IIM Raipur.	
Tender No.	IIMR/EM&ES/09/2025-26 dated 12/04/2025	
Bid Publishing Date	12/04/2025	
Bid Submission Start Date	12/04/2025 @ 17.30	
Pre-bid meeting & and site visit	22/04/2025 on 11.30 A.M at Estate Department	
<b>at IIM Raipur</b> (Atal Nagar, Raipur.493661)		
Bid Submission End Date02/05/2025 up to 5.00 P.M		
Online (Pre-qualification) Technical Bid Opening Date	03/05/2025 after 11:00 AM	
Online Financial Bid Opening Date	Price Bids of only technically qualified bidders shall be opened later in the presence of authorized representatives of bidders and IIM Raipur Officers.	
Validity of the bid	75 days from the opening of financial Bid	
Tender Fee	Rs-590/- (Inclusive of 18% GST) in form of DD	
Estimated Cost in Rs. Rs-23,00,000/- (Inclusive GST and other tax		
EMD (Earnest Money Deposit) Rs-46,000/-		
Contract Period	45 days from date of Issue of LOA/ Site handing over whichever is earlier.	
Contact Person for tender Related queries	1.Shri Jagdish Rajurkar-0771-2474-781 2.Shri Mohd. Tariq- 0771-2474-782 3. Shri D.K.Sinha - 0771-2474-890	

### Part I: Pre-Qualification Bid Criteria

The following documents are to be uploaded by the tenderer along with Pre-Qualification Bid as per the tender document. Eligibility conditions:

Eligibili	ty conditions:	
Sr.No.	Description	Remarks (Documents to be submitted)
1	Work Experience: Experience of having successfully completed similar types of work during the last 7 years ending the previous day of the last date of the submission of tenders as under: One similar work of value not less than Rs- 18,00,000/- Or Two similar works each of value not less than Rs- 11,50,000, /- Or Three similar works each value not less than Rs- 9,00,000/-	Attach a Copy of the work order/work completion certificate along with <b>Annexure-D.</b>
2	The average annual turnover of the firm in the last Three consecutive financial years as of 31.03.2024 (For FY 2021-22,2022-23 and 2023-24) shall be a minimum of Rs 16 Lakh.	Please attach the Chartered Accountant's certificate with a valid UDIN / Audited balance sheet along with <b>Annexure-C.</b>
3	The bidder must be a profit-making organization in any two years out of the last three consecutive financial years as on 31.03.2024 (For Financial Year 2021-22, 2022-23, 2023-24).	Attached- CA's certificate for Profit (Profit Before Tax) (IIMR may ask for audited P&L account statements also if required).
4	<ul> <li>Required Mandatory documents to clear PQ criteria.</li> <li>1. PAN No.</li> <li>2. GST registration.</li> <li>3. Registration of CPWD/PWD/Any other.</li> <li>4. Annexure -A (Filled by The Bidders)</li> <li>5. Annexure -B (Filled by The Bidders)</li> <li>6. Annexure-E</li> <li>7. Tender Documents Duly Signed by the bidder on each page.</li> </ul>	Please attach copies of the following along with Tender Document duly signed on each page.

Tender will be submitted online mode through CPP portal.

The original Demand Draft towards EMD and the tender fees are to be submitted in a sealed envelope to be super scribed this tender name & the name with address of your firm and must reach at the below address before the last date & time for the submission of Bid document.

#### The CAO – Indian Institute of Management Raipur

#### **IIM Raipur Campus**

Atal Nagar, PO Kurru (Abhanpur), Pin code – 493661.

Note: No other documents except tender fees and EMD will be required to send 1. Bid Submission:

This tender document containing eligibility criteria, scope of work, terms and conditions, specification and other documents, can be seen/downloaded at/from the Central Public Procurement (CPP) Portal https://eprocure.gov.in or Indian Institute of Management Raipur website: <u>www.iimraipur.ac.in</u>

This tender is required to be uploaded on the website https://eprocure.gov.in and nowhere else as it will be opened online at this site only.

The tenderer shall sign and stamp each page of this tender document as taken of having read, understood and comply with tender, the terms and conditions contained herein. Manual bid/tender will not be accepted under any circumstances. Incomplete bid/documents shall be rejected without giving any reason.

The tender shall be submitted as follows:

- Pre-qualification documents
- Price bid as per Price Bid format

#### **1.1 INSTRUCTIONS FOR ONLINE BID SUBMISSION**

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal. More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

#### **REGISTRATION:**

1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.

2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.

3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.

4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/code/e mudra etc.), with their profile.

5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.

6) Bidder then logs in to the site through the secured log-in by entering their user ID/ password and the password of the DSC / e-Token.

#### **1.2 SEARCHING FOR TENDER DOCUMENTS:**

1) There is various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.

2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.

3) The bidder should make a note of the unique Tender ID assigned to each tender; in case they want to obtain any clarification / help from the Helpdesk.

#### **1.3 SUBMISSION OF BIDS:**

1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

3) Bidder has to select the payment option as "online to pay the tender fee/EMD as applicable and enter details of the instrument.

4) Bidder should prepare the Tender Fees/EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise, the uploaded bid will be rejected.

5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

6) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

7) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is

maintained using the secured Socket Layer 128bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

8) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

9) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

10) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

## **1.4 GENERAL INSTRUCTIONS TO THE BIDDERS**

1) The tenders will be received online through portal http://eprocure.qov.in/eprocure/app In the Technical Bids, the bidders are required to upload all the documents in pdf format.

2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/appunder the link "Information about DSC".

3) Tenderer are advised to follow the instructions provided in the "Instructions to the Tenderer" for the e-submission of the bids online through the Central Public Procurement Portal for eProcurement at <u>https://eprocure.gov.in/eprocure/app</u>.

#### **Online Bid Form**

The bidder shall complete the online bid form, and the appropriate price schedule furnished in the online bidding documents, indicating, inter alia for the goods to be supplied, a brief description of the goods, their country of origin, quantity and prices.

#### **Online Bid prices**

The Bidder shall indicate on the Price Schedule the unit price and total bid prices of the goods it proposes to supply under the Contract. To this end, the Bidders are allowed the option to submit the online bids for any one or more schedule specified in the "Schedule of Requirement" and offer discounts for combined schedules. However, Bidders shall quote for the complete requirement of goods and services specified under each schedule on a single responsibility basis.

#### FINANCIAL BID - Schedule of price bid in the form of BOQ format:

1. The Financial Proposal/Commercial bid format is provided as BoQ along with this tender document at <u>http://eprocure.gov.in/eprocure/app</u>

2. Bidders are advised to download this BoQ.xls as it is and quote their offer/rates in the permitted column and upload the same in the commercial bid. Also upload a signed copy of this BoQ.xls i.e. price bid in pdf format.

3. Bidder shall not tamper/modify downloaded price bid template in any manner. In case if the same is found to be tampered/modified in any manner, tender will be completely rejected and EMD shall be forfeited.

4. If GST amount is not quoted in the BOQ (Financial Bid), the total cost will be treated as inclusive of GST.

5. The tender shall remain valid for acceptance for validity period mentioned in the Notice Inviting Tender, from the date of tender opening.

#### Help desk for technical related queries (24x7):

0120-4001 002

0120-4001 005

0120-4493395

#### For Email support:

support-eproc@nic.in

# TERMS AND CONDITIONS OF THE CONTRACT

Clause No	Title	Description
100	Registration	The tenderer / contractor must be registered with PWD/ CPWD/Railways/Govt PSU etc. And other Government department.
101	Work Experience	The Contractor/Agency should have executed in last seven years ending last date of tender, at least one work of similar type of 80% or more magnitude or two works of similar type of minimum 50% magnitude or three works of similar type of minimum 40% magnitude individually for executing the tendered work in IITs / IISc / NITs / Research Organizations like DRDO / Government Departments/ Undertakings/ public sectors with contact details. The agency must provide copies of completed works with cost of the same work executed in IITs / IISc / NITs / Research Organizations like DRDO / Institutes or Government Departments/ Undertakings/ public sectors. The Contractor/Agency's performance for each work completed in last seven years and in hand should be certified by an Officer not below the rank of Executive Engineer, General Manager or equivalent.
102	Completion Time Period	Time is the essence of the contract. Being a time bound project, the tenderer / contractor should complete the work in time. Even though the overall completion period is indicated as 45 days from date of signing of the contract agreement or site handing over date.
103	Earnest Money Deposit (EMD)	<ul> <li>i) The tenderer shall deposit Earnest Money of 46,000/-through Demand Draft drawn in favour of "Indian Institute of Management Raipur" payable at Raipur through a scheduled bank only.</li> <li>ii) EMD of the successful contractor shall be refunded immediately on receipt of performance guarantee and for unsuccessful bidder after award of the tender.</li> <li>iii) In the event of bidder backing out before actual award or execution of agreement, IIMR will have right to forfeit the EMD. In case the successful tenderer declines the offer of contract, for whatsoever reason(s) his EMD will be forfeited</li> </ul>
104	Performance Guarantee	i) The successful tenderer / contractor will furnish performance Guarantee @ 5% of the tendered and accepted value of the work in the shape of demand draft, or NEFT any schedule bank in the favour of IIM Raipur valid up to 60 days after the completion of the work. The time allowed for submission of

		performance guarantee amount by the contractor shall be a period up to 15 days of issue of letter of acceptance / work order depending upon the magnitude and/or urgency of the work. This period can be further extended at the request of the contractor by IIM Raipur approving authority for a maximum period ranging from 1 to 15 days with late fee @ of Rs.0.1% per day, of performance guarantee amount. ii) The date of start of work shall be reckoned from the 15th day after the date on which letter of acceptance/ work order/ purchase order is given to the contractor & the performance guarantee shall be refunded to the contractor soon after the completion of the work. The performance guarantee will not carry any interest.
105	Security Deposit (SD)	The security deposit shall be collected by deductions from the running bill of the contractors at the rate of 5% of the gross amount of the bill from each running bill as well as final bill of the contractor & the security deposit shall be refunded to the contractor 60 days after successful completion of maintenance/defect liability period. The security deposit will not carry any interest
106	Defect Liability Period	Generally, the maintenance period/ defect liability period for the works/services will be 01-year (12 months) from the date of completion.
107	Liquidated Damages	Contractor has to complete the entire work as per given specifications and stipulated time periods (45 Days) if failed then liquidated damage shall be applicable @ 0.5% per week maximum up to 10% of contract value.
108	Conditional Bids	Conditional bids or Bids based on the process / basic schemes other than those mentioned and/or not conforming to the technical specifications/requirements of the Bidding documents will not be considered.
109	Contract Agreement	Contract agreement to be executed on Rs-100 stamp paper after the issuance of the work order/Letter of Intent (LOI) from IIM Raipur.
110	Insurance	The bidders have to take responsibility for their manpower, material, and workmen. For any incidental loss, IIM Raipur will not be held responsible. The successful bidder must indemnify IIM Raipur for any consequential loss arising from the negligent act.
111	Work and risk cost	IIM Raipur reserves the right to get the whole or part of the work executed by some other agency at the risk and cost of the contractor, if it is found that the quality

		and/or the progress in respect of the whole or part of
110		the work is not satisfactory
112	Compliance with owners' rules and regulations	The contractor shall comply with all norms stipulated by the Owner, such as Gate Passes, Checking, Maintenance of Cleanliness, Discipline & Decency at and around the work site, Safety Precautions, and Safety Regulations.
113	Arbitration	If any dispute, difference, controversies or claims of any kind whatsoever shall arise between IIM Raipur and the successful bidder, they shall seek to resolve any such dispute or difference by amicable mutual consultation and deliberation in good faith within 21 days from the date of intimation of such dispute, difference, controversies or claims by referring it to the Director of IIM Raipur by the successful bidder. If IIM Raipur and the successful bidder fail to resolve such dispute or difference, controversy, or claim by mutual consultation, then either Party may give the other, a formal notice in writing that the dispute, difference, controversy, or claim exists, specifying its nature, the point(s) in issue and its intention to refer such disputes, differences, controversies, or claims to arbitration under the Arbitration and Conciliation Act, 1996. The sole arbitrator shall be appointed by Director IIM Raipur, having the requisite technical expertise to adjudicate such nature of disputes. The decision of the sole arbitrator shall be binding on both parties. Arbitration shall be held in Raipur, (Chhattisgarh) India, and the arbitration proceedings shall be conducted in English. The arbitrator will be requested to give their award in 60 days' time. The award shall be a reasoned award, which shall be final and binding on the Parties. The award shall be entered in the courts at Raipur, and such courts may order enforcement of the award against the Parties and their respective successors and permitted assignees. The costs and expenses of the arbitration shall be borne equally by both parties. The courts in Raipur shall have exclusive jurisdiction.
114	Safety and Security	The contractor shall abide by the safety code provisions as per the safety code framed from time to time by the government.
115	Prices, Taxes & Duties	The Bidder should quote firm prices/ rates inclusive of all material wastages, Transportation & Taxes like Duties, Levies, Personal Tax, Corporate Tax, worker welfare cess, etc. All other expenditures required to be incurred by him/her for providing required electrification work, etc., during the contract period as indicated under his contract, and afterward, no variation on any account unless otherwise specifically

		1
		mentioned will be allowed. (The contractor will indemnify IIM Raipur against violation of all statutory liabilities, present and future, arising out of this contract.)
116	Bid Validity	The bid submitted by the bidder shall remain valid for a period of 75 days from the date of opening of the technical bid. Bidder shall not be entitled during this period to revoke or vary the content of Bid or any term thereof. In such case of making any variation after submission of the bid on their own, the offer shall be treated as "REJECTED."
117	Award of similar types of work at the same rates	Upon mutual consent, the client may award another similar type of work and up to 100% of the quantities within a period of 12 months from the date of successful completion of existing work order at the same rates and terms & conditions of work order.
118	Access to site	The Contractor shall allow unhindered access to IIM Raipur and/or any other party or person, engaged by the IIM Raipur to work at the same site and/or to check/ regulate / watch /guard/ measure/inspect, solely or jointly with the Contractor.
119	Rejection of bid(s)/Tender	<ul> <li>IIM Raipur reserves the right to, at any time and at its absolute discretion, the following</li> <li>i) Accept or reject any or all bids</li> <li>ii) To permit any related documents by the bidder for the clarification of IIM Raipur.</li> <li>iii) To negotiate the price with L-1</li> <li>iv) To suspend, discontinue, modify, and/or terminate the Tendering process at any time without assigning any reason whatsoever.</li> <li>v) Any deviation to this tender terms &amp; condition and schedules of this tender will cause total rejection of the offer submitted.</li> </ul>
120	Quantom of work	This contract is basically an item rate contract. The quantities/Area given in the "BILL OF QUANTITIES" (Part-2, Price Bid) are approximate only and may vary in the actual course of execution. The Contractor is, therefore, advised to quote very carefully (Quantity Measurement for bill will be based on actual site measurement) No claim for compensation from the Contractor shall be entertained due to any variation in quantities (irrespective of the quantum of variation) OR deletion of any item. The rates fixed for a particular year shall remain the same throughout the year.
121	Assignment and sub- contracting	The Contractor shall not assign, sub-contract, or sub- let the whole or any part of the contract in any manner. In case of unavoidable circumstances, the contractor shall be able to do it with the approval of the owner

		of premises. However, the job shall be sublet only to
		the party approved by the owner.
122		The Contractor shall keep the Owner indemnified
	Misconduct	from and against all personal and third-party claims
		whatsoever arising out of any commission or
		omission by Contractor or his employees, or
		representatives as the case may be
123	Inspection and testing	The Owner shall be entitled to inspect and / or test
	by IIM Raipur	by itself or through any of its representative or an
		independent agency.
124	Interpretation	The Special conditions of Contract if any will be read
	-	in conjecture with all other documents forming part of
		this contract. Notwithstanding the sub-divisions of
		the documents into these separate sections, every part
		of each shall be deemed to be supplementary to and
		complimentary of every part and shall be read with
		and into the contract.
125	Submission of Bills by	Payment will be made based on the certification of the
	Contractor	engineer in charge of IIM Raipur on completion of the
		work/services of the work (Based on actual progress
		at Site).
126	Payment of Bills	Payments will be made within 30 days of submission
120	r uyment or bins	of final bills (No RA bill) with valid tax invoice/E
		invoice provided are complete and duly authenticated
		by the specified Officer(s) of IIM Raipur after
		completion of the work in all respects and a successful
		report received from the concerned Officer.
127	Advance against	Not Applicable
127	material on site	Not Applicable
128	Escalation / De-	Prices/Rates quoted shall be firm during the entire
120	escalation of rates	duration of the contract.
129	Basic Rates	The basic rates mentioned (if any) in the tender are
12)	Dusie Rules	FOR IIM Raipur Campus. The difference will be paid
		OR deducted for the payment to the contractor upon
		submission of documentary proof if otherwise.
130	Non-tender items/ Extra	In case of items that the contractor has to execute that
150	Items	are not covered in the tender, the rates shall be paid
	items	based on rate analysis duly certified by an engineer in
		charge, and the profit margin would be 15% inclusive
		of all taxes EXCEPT GST as applicable.
131	Force Majeure	
131	roree majeure	If the whole or any part of the performance by the Parties of any part of their respective obligations
		hereunder is prevented or delayed by causes,
		THELEDHOLET IS DIEVEHIED OF DELAVED DV CAUSES.
		circumstances, or events beyond the control of the
		circumstances, or events beyond the control of the Parties, including delays due to floods, fires,
		circumstances, or events beyond the control of the Parties, including delays due to floods, fires, accidents, earthquakes, riots, explosions, wars,
		circumstances, or events beyond the control of the Parties, including delays due to floods, fires, accidents, earthquakes, riots, explosions, wars, hostilities, acts of government, custom barriers, or
		circumstances, or events beyond the control of the Parties, including delays due to floods, fires, accidents, earthquakes, riots, explosions, wars, hostilities, acts of government, custom barriers, or other causes of like character beyond the control of
		circumstances, or events beyond the control of the Parties, including delays due to floods, fires, accidents, earthquakes, riots, explosions, wars, hostilities, acts of government, custom barriers, or

		of its obligations hereunder by reason thereof despite due diligence and reasonable efforts to do so notwithstanding such causes, circumstances or events, the Parties shall be excused from performance hereunder for so long as such causes, circumstances or events shall continue to prevent or delay such performance.
132	Taxes, Labour laws, and Other Regulations	The Contractor will be exclusively responsible to meet and comply with all legal requirements related to the work.
		The Contractor shall accept and bear full and exclusive liability for the payment of any and all existing taxes of the Central or State Government or of any other authority with respect to the contract or any item sold or supplied pursuant thereto or anything done or service rendered pursuant thereto. Any legal matter or issues and all court matters that
		arise for this contract are subjected to Raipur court jurisdictions only.
133	Precedence Clause:	In the case of any ambiguity in interpretation, the Price bid will supersede the Technical Qualification bid and decision by Manager (A&F), IIM Raipur, on the interpretation of the entire contract terms and conditions, will be final and binding to all.
134	Mathematical error	The total quoted amount will be declared during the opening of price bids. However, during calculation verification, if there is any error found in the total amount, the agency will be called for clarification. The rates quoted by the agency will be considered firm, and hence, the amount will be worked out by multiplying the rate with quantity. The rate will not be allowed to be changed in any case. However, a decision by the Manager (A&F), IIM Raipur, on the interpretation of the entire contract terms and conditions will be final and binding to all.
135	Registers & Records	The Contractor shall maintain all registers and records in the proper manner and as required by the regulations of the various authorities concerned and indemnify the Employer from the consequences due to any inaccurate or faulty documentation on the part of the Contractor.
136	Termination of Contract on death of Contractor	Without prejudice to any of the rights or remedies under this contract, if the Contractor dies, or if the firm is dissolved or the company is liquidated, IIM Raipur shall have the option of terminating the contract without compensation to the Contractor
137	Special Power to Termination	If at any time after the award of contract, IIM Raipur shall for any reason whatsoever not require whole or any part of the work to be carried out the Engineer in charge shall give notice in writing of the fact to the

		Contractor who shall have no claim to any payment of compensation or otherwise how so ever on account of any profit or advantage which he might have derived from the execution of the work in full but which he did not derive in consequence of the fore- closing of the work.
138	Corrigendum / Amendment	It is tenderer's responsibility to watch for any corrigendum or amendment till the opening of a particular tender that will be posted only at IIM Raipur web site

## SPECIAL CONDITIONS OF CONTRACT

- 1. The contractor who has been blacklisted is not eligible to participate in the tender.
- 2. No night work will be permitted without the written permission of the Competent Authority.
- 3. Items of work other than those mentioned in the Bill of Quantities (Tender Schedule) attached hereto will be carried out at the rates to be fixed by the Institute as per relevant clauses of CPWD Works Manual.
- 4. Permission for erection of temporary work sheds etc., at site will have to be obtained from IIM Raipur in writing in advance.
- 5. The works contract to be entered into with the successful tenderer will be governed by the CPWD works Manual 2023 or the latest in force.
- 6. In all matters of dispute, the decision of the Director, Indian Institute of Management Raipur shall be final and binding on the tenderer / contractor.
- 7. The contractor should submit in advance every fortnight a detailed program of work to be undertaken from time to time strictly in conformities with the "Time and Progress Chart" covering the entire constructed work and reschedule them wherever necessary during the progress of the work so as to achieve the target set.
- 8. During execution of the work, if there is any delay, stoppage of work on any reason, the same shall be recorded by the contractor under intimation to the Engineer-in-charge.
- 9. The contractor shall furnish the manufacturer's certificate that the material supplied satisfies the requirements of the relevant specifications.
- 10. The Engineer-in-Charge shall be at liberty to take respective sample(s) of each item of schedule of quantity in any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. All expenditure required to be incurred for taking sample, conveyance and packing & testing charges etc. shall be borne by the contractor himself. Testing charges in respect of failed sample will be borne by the contractor himself.
- 11. All the dismantled material shall be returned to the department after repair/ replacement with new material.
- 12. The Tenderer shall get acquainted with the location of the sites and carefully check the specifications and shall satisfy himself that the material / items offered comply

with the IIM Raipur's requirements and specifications laid down in the tender document or as per the direction of Engineer-in-Charge.

# **General Instructions to Tenderers**

## 1. Scope of work:

## 1.1 Civil Work:

i) The entire scope of work including shuttering, placing of concrete, curing, scaffolding if required shall be in the contractor scope including all for smooth operational activities.ii) Compliance with relevant IS codes, safety regulations, and quality standards.

iii) Internal & external plastering with proper finishing and curing.

iv) Installation of skirting, dado, and wall cladding as per BOQ.

v) All work as will be executed as per BOQ.

vi) Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer -in - charge shall be in the contractor scope.

vii) The maximum height for the brickwork, plaster work, for tile work (dado) and for concrete work height not more than 13ft. all scaffolding / gandola if required shall be in the contractor scope.

viii) In case of water cooler base work which includes brick work and plaster work for each floor of the existing hostel building (G+4) building and all shifting of materials for complete the work is in contractor scope.

## 1.2 Plumbing work:

i) All work related to the plumbing work including providing and fixing pipe (CPVC/PVC diameter as per **Annexure-1**), including all necessary fittings like elbow, bends, jointing solution etc as directed at site as per BOQ & **Annexure-1** list of items with quantity.

ii) All consumables related to the list of items as per **Annexure-1** shall be in the contractor's scope.

iii) The other breaking of brick wall/concrete for the above-mentioned work in the contractor scope.

iv) All quantity shown in Annexure-1 is tentative, it may increase and the same will be in the scope of the contractor.

v) All plumbing systems must meet operational, and safety standards as specified.

## 1.3 Aluminum work & PVC work:

i) Providing and fixing ACP sheets with a thickness of 3.75 mm, with composite aluminium section panels: i) 40x65 mm and ii) 85x44 mm for door batten sections, as well as for the desired locations. The work shall be completed with all consumables and fixing materials, ensuring smooth operation as per the **BOQ and** drawing along with **Annexure-II** and the attached drawing for reference.

ii) Providing and fixing clear glass of thickness 4mm for the upper portion of the section as per **BOQ** along with **Annexure-II** attached drawing for reference.

iii) The maximum height of the glass work and aluminum partition work not more than 13 ft all scaffolding / gandola if required shall be in the contractor scope.

iv) The cutting/Binding or any other modification of the material shall be in the scope of contractor.

v) All quantity shown in Annexure- is tentative, it may increase and the same will be in the scope of the contractor.

vi) All aluminium/PVC work must meet operational, and safety standards as specified

#### 1.4 Electrical Work:

The contractor is responsible for the complete electrical works as detailed below, including all necessary materials, labour, tools, equipment, transportation, and disposal services, ensuring compliance with the specifications outlined in the Bill of Quantities (BOQ).

#### i) Electrical Points Installation:

- a) Provide and fix all electrical points, including DB (Distribution Board) boxes, PVC pipes with accessories, switches, sockets, and any other related components required for a fully functional electrical system.
- b) All components must be installed as per the BOQ and specifications provided.

#### ii) Underground Electrical Wiring:

- a) All electrical wiring shall be laid underground, as per the specific requirements of **IIM Raipur**.
- b) The contractor will be responsible for the complete excavation, dismantling of existing wall/concrete works, installation of underground wiring, and restoration of the site post-installation.
- c) This includes trenching, backfilling, and ensuring proper conduit laying with PVC pipes and accessories.

#### iii) Disposal of Unserviceable Materials:

- a) The contractor shall dispose of any unserviceable material within a 50-meter lead, as directed by the Engineer-in-Charge.
- b) Disposal must be carried out in compliance with all applicable laws and environmental guidelines, and the contractor shall arrange for the removal of debris and waste from the site in a timely manner.

#### iv) Testing and Commissioning:

- a) The contractor is responsible for the testing and commissioning of all electrical points, including proper checking of wiring, fittings, and electrical points.
- b) Testing shall be conducted in accordance with relevant standards to ensure the system is fully functional.
- c) All electrical systems must meet operational, and safety standards as specified.

#### v) Earthing Works:

- a) The contractor is responsible for the supply, installation, and fixing of chemical earthing systems, including all necessary accessories, cables, and materials required for the complete installation.
- b) The earthing system must be tested and commissioned to meet the desired standards with earth resistance of less than **1 Ohm**.
- c) The contractor is to ensure the earthing system is fully functional and compliant with all safety standards.

#### 2. Material Specifications and Approvals:

a) All materials used in the execution/civil work /plumbing work and aluminium and electrical works must comply with the **material specifications** outlined in the BOQ. **Brand/Make Approval** from the Engineer-in-Charge must be obtained prior to starting the work to ensure that only approved materials are used.

S.No	Material	Manufacturer/Brand Name
1.	Cement	JK/ Birla/ Ultratech or equivalent
2.	Tiles	Kajaria Ceramics/ Asian Granito India/ H & R Johnson or equivalaent
3.	Microwave Oven	LG/IFB/Samsung
4.	Electrical cable	KIE /Polycab /Finolex
5.	Switches, MCB Etc.	Schneide/ABB/Legrand

#### b. List of Approved Make / Materials:

#### 3. Quantities and Variations:

- a) The quantities shown in the **Annexure/BOQ** are indicative and may vary depending on site conditions.
- b) Any increase or decrease in quantities will remain within the contractor's scope, and the contractor must adjust the work accordingly.

#### 4. Inspection of materials/work at site

The IIM Raipur's engineer in-charge and /or his representative shall inspect the materials at site after delivery before the same is used in the work. The IIMR engineer in-charge and /or his representative shall have free and full access at any time during execution of the contract to the contractor's work or site. In case of execution of work for the aforesaid purpose, and IIMR''s engineer in-charge may require the contractor to make arrangements for inspection of work or any part thereof or any material at his premises or at any other place specified by the IIM Raipur's Engineer.

#### 5. The IIM Raipur's Engineer in-charge shall have the power-

- i) To reject the whole/part of the items & materials tendered for inspection, if after inspection of such portion thereof, as he may in his discretion think fit, he is satisfied that the same is unsatisfactory; and
- ii) To mark the rejected items / materials or parts with a rejection mark so that it may easily be identified if re-submitted.

#### 6. Maintenance & Guarantee/ Warrantee:

a) A minimum warranty period of 1 year is required for all electrical/Electronic items including installations, including wiring, switches, sockets, and earthing systems. During this period, any defects or failures must be rectified by the contractor at no additional cost

b) Any damage to the existing structure, building etc. made by the successful bidder during execution of this work shall be made good as it was at his own cost & risk and to the satisfaction of the Engineer-in-Charge.

#### 7. Measurement Book:

The Engineer-in-Charge shall, unless as otherwise provided, ascertain, and determine by measurement the value of work done in accordance with the contract. All measurements of all items having financial value shall be entered into by the contractor and compiled in the shape of the Computerized Measurement Book having pages of A-4 size as per the format of the department so that a complete record is obtained of all the items of works performed under the contract.

All such measurements and levels recorded by the contractor or his authorized representative from time to time, during the progress of the work, shall be got checked by the contractor from the Engineer-in-Charge or his authorized representative as per interval or program fixed in consultation with Engineer-in-Charge or his authorized representative. After the necessary corrections made by the Engineer-in-Charge, the measurement sheets shall be returned to the contractor for incorporating the corrections and for resubmission to the Engineer-in-Charge for the dated signatures by the Engineer-in-Charge and the contractor or their representatives in token of their acceptance.

#### 8. Authority to decide:

- (i) Extension of time : Director, IIM Raipur
- (ii) Re-scheduling of milestones : Head of Campus Infrastructure, IIM Raipur
- (iii) Shifting of date of start in case of delay in handing over of site: Head of Campus Infrastructure, IIM Raipur.

#### 9. Site Particulars:

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to nature of work, site conditions, means of access to the site etc. Non-familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying out the work in strict conformity with the specifications.

#### 10. Safety Codes

- a. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladder and the ladder shall be given an inclination not steeper than <sup>1</sup>/<sub>4</sub> to 1(<sup>1</sup>/<sub>4</sub> horizontal and 1 vertical.)
- b. Scaffolding of staging more than 3.6 m (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be

fastened so as to prevent it from swaying from the building or structure.

- c. Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width, and should be suitably fastened as described in (2) above.
- d. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm. (3ft.)
- Safe means of access shall be provided to all working platforms and other working e. places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11<sup>1</sup>/<sub>2</sub>") for ladder up to and including 3 m. (10 ft.) in length. For longer ladders, this width should be increased at least 1/4" for each additional 30 cm. (1 foot) of length. Uniform step spacing of not more than 30 cm jshall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defense of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit; action or proceedings to any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- **f.** All necessary personal safety equipment as considered adequate by the Engineer- in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned.
- g. The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken: -
- h. No paint containing lead or lead products shall be used except in the form of paste or readymade paint.
- i. Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.

#### Annexure A

#### PARTICULARS OF BIDDER

SR.NO	DESCRIPTION	
1	Name of the bidder	
Α	Trade Name (in Block letters)	
В	Status of the Bidder (Proprietorship/Partnership/LLP/Limited Co.) In Block letters)	
С	NameofProprietor/Partners/CEO/Directors(InBlock letters)(In	
2	Postal Address	
3	Telephone No.	
4	E-mail / Website address (if available)	
5	Name of the Banker, Branch Name & address (In Block letters) (For e-payment purpose)	
Α	Account no	
В	IFSC code	
6	PAN (upload self-attested photocopy)	
7	GSTIN (GST Registration No.) (Upload self-attested photocopy)	

I/We hereby declare and affirm that I/we have read and understood the terms and conditions of this tender/quotation/NIT as stipulated in the tender notice No IIMR/EM&ES/09/2025-26 Dated 12/04/2025. Accordingly, I/ we accept the terms and conditions and hereby offer the rates for "as per Price Bid".

Signature

Date\_\_\_\_\_

Official seal of bidder

\_\_\_\_\_

#### Annexure-B ACCEPTANCE OF TENDER TERMS AND CONDITIONS (To be given on Company Letter Head)

#### **Tender Reference No:**

To,

The Director

Indian Institute of Management Raipur,

#### Sub: Acceptance of Terms & Conditions of Tender.

Dear Sir,

1. I/We have downloaded / obtained the tender document(s) for the above mentioned 'Tender' from the web site(s).

2. I/We hereby certify that I/we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), schedule(s), etc, which form part of the contract agreement, and I/we shall abide hereby by the terms/conditions/clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/organization too have also been taken into consideration, while submitting this acceptance letter.

4. I/We hereby unconditionally accept the tender conditions of above-mentioned tender document(s)/corrigendum(s) in its totality/entirety.

5. I/We certify that all information furnished by we/our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

6. I/we shall have no objection in case debarred for at least 2 years by the institute for bid participation on ground of my/our refusal/failure to execute the contract after attaining the status of most competitive bidder.

Signature of Authorized Signatory of bidder .....

Name of Authorized Signatory

.....

Company Name

.....

Date:

## Turnover Certificate and profit -Loss certificate (CA Certificate)

## Annexure-C

The average annual turnover of the firm in the last Three consecutive financial years as of 31-03-2024

Sr.no	Financial Year	Annual turnover in INR	Profit & Loss In INR
1	2021-22		
2	2022-23		
3	2023-24		

SIGNATURE OF BIDDER: \_\_\_\_\_

NAME OF COMPANY/ BIDDER: \_\_\_\_\_

**COMPANY SEAL** 

#### Annexure-D List of Work orders and Work Completion Certificates

Sr. No.	Department Name	WOrk /Description	tValue	Contract Start Date	Contract Completio nDate	Work order attached YES or NO	Completion Certificate attached YES or NO
1							
2							
3							

SIGNATURE OF BIDDER:

NAME OF COMPANY/ BIDDER: \_\_\_\_\_

**COMPANY SEAL** 

#### ANNEXURE – E

# (Duly sealed and signed certificate on Company/ Firm's Letterhead) To,

Director Indian Institute of Management Raipur,

## **Subject:** DETAILS OF TENDER FEES & EMD DEPOSITED, WITH A SELF DECLARATION FOR ACCEPTING ALL TENDER TERMS AND CONDITIONS

Dear Sir, I/we hereby submit our tender for 'Tender for Execution of Miscellaneous Civil, Plumbing, Aluminum work and Electrical works related to construction of base/platform for washing machines at 05 Nos Hostel Block and Supply of Electronics items for Hostels 05 Nos Hostel Block IIM Raipur" along with other required documents.

I/we are enclosing herewith the following towards	Tender Fee and Earnest Money Deposit.
---	---------------------------------------

Particulars	Amount	Demand Draft	Bank Name	Remarks	
		No. & Date			
Tender Fee	590/-				
including GST					
EMD	46,000/-				
Exemption in	Tender Fee and EN	ID will be exempted	for the MSME Age	ncy/Vendor.	
tender fee and	Exemption in fees	will be allowed only	for that MSME/NSI	C vendor which	
EMD are allowed	will come under th	e similar category of	services. Only certif	ficate will be	
for MSME	considered for the	exemption in tender	fee & EMD in which	n name of the	
vendor (Original	service /activities or definition of activity/ service are to be co- related with the				
service provider)	similar category Exemption will not be allowed for other category				
	MSME/NSIC vend	lors or traders.			

I/We have gone through all terms and conditions of the tender document also I/We have gone through the corrigendum/ addendum issued (if any) till the Bid Submission close time and date for this tender.

I/We agree to accept all the terms and conditions of the tender document and assure you that I/We will comply with the above referred tender document including instructions, terms & conditions, technical specification stated therein.

#### **Authorized Signatory**

Name:

Designation:

Date:

# FINANACIAL BID FORMAT

Tender No. IIMR/EM&ES/09/2025-26 Dated 12/04/2025.

**Name of the Work:** Tender for Execution of Miscellaneous Civil, Plumbing, Aluminum work and Electrical works related to construction of base/platform for washing machines at 05 Nos Hostel Block and Supply of Electronics items for Hostels 05 Nos Hostel Block IIM Raipur.

FINANCIAL BID					
Name of the Firm					
Address of the Firm					
Phone/Mobile no.					
E-Mail ID					

#### **Bill of Quantity (BOQ)**

#### (A) Civil Work

Sr. No.	Description of the work	Unit	Quantity	Rate In (Rs.)	Amount (Rs.)
1.	Brick work with common burn clay F.P.S (non- modular) bricks of class designation 7.5 in foundation and plinth in: cement mortar 1:4 (1 cement 4 coarse sand)	Cum	18		
2.	Providing and laying in position cement concrete of specified grade excluding the cost of cantering and shuttering -All work up to plinth level, 1:15:3 (1 cement ,1.5 coarse sand ,3 graded stone aggregate of 20mm size.	Cum	14		
3.	Cement plaster in fine ,12 mm thick cement plaster of mix 1:4 (1 cement, 4: sand)	Sqm	100		
4.	Providing and fixing 1st quality ceramic glazed floor tiles of size conforming to IS				

	15622 (thickness to be				
	specified by the manufacturer				
	of approved make in all	Sqm	280		
	colours, shades, burgundy,	Squii	200		
	bottle green, black of any size				
	as approved EIC in skirting,				
	risers of steps and dados over 12mm thick bed of cement				
	mortar 1:3 (1 cement, 3				
	coarse sand) and jointing with				
	grey cement slurry @3.3				
	kg/sqm including pointing in				
	white cement mixed with				
	pigment of matching shade.				
<b>(B) Pl</b>	umbing Work with fixtures:				
			I		-
5.	Providing and Fixing of				
	CPVC/PVC pipe as per				
	requirement Sanitary fixtures				
	in each hostel block 05 Nos				
	Hostel block as per Annexure				
	-1.	Job	-	-	
	All material and consumables				
	with fixtures is in contractor				
	scope, modify and extend				
	existing pipe work to				
	accommodate the new taps as				
	per requirement. Testing and				
	commissioning of the work in				
	the scope of contractor.				
(C) Al	uminum work & PVC work:				
6.	Providing and fixing of ACP				
0.	sheet with aluminium and				
	Glass as per given drawings				
	(Attached as <b>Annexure-II</b> .				
		<b>T</b> 1			
		loh			
	Contractor responsible for all	Job	-	-	
	materials and consumables	Job	-	-	
	materials and consumables for smooth operational of	Jop	-	-	
	materials and consumables for smooth operational of washing area.	Job	-	-	
	materials and consumables for smooth operational of washing area. ectrical and Electronics items:	Job	-	-	
(D) El 7.	materials and consumables for smooth operational of washing area. ectrical and Electronics items: Wiring for circuit/ sub main	Job	-	-	
	materials and consumables for smooth operational of washing area. ectrical and Electronics items: Wiring for circuit/ sub main wiring along with earth wire	Job	-	· ·	
	<ul> <li>materials and consumables for smooth operational of washing area.</li> <li>ectrical and Electronics items:</li> <li>Wiring for circuit/ sub main wiring along with earth wire with the following sizes of</li> </ul>	Jop	-		
	materials and consumables for smooth operational of washing area. ectrical and Electronics items: Wiring for circuit/ sub main wiring along with earth wire	Job	-	-	
	<ul> <li>materials and consumables for smooth operational of washing area.</li> <li>ectrical and Electronics items:</li> <li>Wiring for circuit/ sub main wiring along with earth wire with the following sizes of</li> </ul>	Job			
	materials and consumables for smooth operational of washing area. ectrical and Electronics items: Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FR PVC insulated copper	Job	-		
	<ul> <li>materials and consumables for smooth operational of washing area.</li> <li>ectrical and Electronics items:</li> <li>Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FR PVC insulated copper conductor, single core cable</li> </ul>	Jop	-	-	
	<ul> <li>materials and consumables for smooth operational of washing area.</li> <li>ectrical and Electronics items:</li> <li>Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface PVC conduit etc as</li> </ul>	Job	350		

7.2	2 X4sq. mm + 1X 4SQ mm	Meter	100	
1.2	earth wire	WICter	100	
8.	Supplying and fixing of			
0.	following sizes PVC conduit			
	along with accessories in			
	6			
	surface/recess including			
	cutting the wall and making			
	good the same in case of			
0.1	recessed conduit as require	2.6	100	
8.1	25 mm	Meter	100	
9	Supplying and fixing of			
	following modular switch/			
	socket on the existing			
	modular plate & switch			
	box including connection			
	but excluding modular plat			
	etc			
9.1	15/16-amp switch	Each	50	
9.2	6 pin 20 amp socket outlet	Each	50	
10	Supplying and fixing			
	modular blanking plate on			
	the existing modular plate			
	& switch box excluding			
	modular plate as required	Each	30	
11	Supplying and fixing			
	following size/module, GI			
	box along with modular			
	base & cover plate for			
	modular switches etc. as			
	required			
11.1	4 Module	Each	4	
11.2	6 Module	Each	20	
12.0	Supplying and fixing			
	following way single pole			
	and neutral sheet steel,			
	MCB distribution board,			
	240 Volt, on surface			
	/recess, complete with			
	tinned copper bus bar,			
	neutral bus bar , earth bar			
	, din bar interconnection ,			
	powder painted including			
	earthing etc. as required (			
	But without MCB/ RCCB/			
	Isolator )			
12.1	08-way SPN DD DB	Each	5	
13	Supplying and fixing 5A to			
-	32 A rating 240/415-volt,			
	10 KA, "C" curve miniature			

			T	1	I
	circuit braker MCB DB				
	complete with				
	connections, testing and				
	commissioning etc. as				
	required				
13.1	6A 32 A Single pole MCB	Each	26		
13.2	6A 32 A Triple pole				
	Neutral pole MCB	Each	6		
14	supply, installation,				
	testing, and				
	commissioning of a				
	chemical earthing				
	system for electrical				
	safety and fault current				
	dissipation. The work shall				
	be carried out as per				
	relevant IS/IEC standards.				
	2. Applicable Standards:				
	• IS 3043: Code of				
	Practice for				
	Earthing				
	• IEC 60364-5-54:	Each	5		
	Electrical		5		
	Installations –				
	Earthing				
	Arrangements				
	IEEE 80: Guide for				
	Safety in AC				
	Substation				
	Grounding				
	IS 732: Code of				
	Practice for				
	Electrical Wiring				
	Installations				
	3. System Components:				
	3.1 Earthing Electrode:				
	Material: Copper-				
	bonded steel / Pure				
	copper / GI				
	(Galvanized Iron)				
	• Size: Minimum 17				
	mm to 50 mm				
	diameter, Length				
	2.5 m to 3.0 m				
	Coating				
	• Coating Thickness:				
	Copper-bonded				
	electrodes should				
	have a minimum				

250-micron			
copper coating			
Corrosion			
Resistance: Must			
be coated or			
treated for			
corrosion			
resistance			
3.2 Backfill Compound			
(BFC):			
Material:			
Conductive,			
moisture-retaining,			
and corrosion-			
resistant compound			
Composition:			
Bentonite, graphite,			
and other			
conductive minerals			
Electrical			
Resistivity: Less			
than <b>0.12 Ωm</b>			
-			
25 kg bags			
3.3 Earthing Pit & Cover:			
Construction:			
RCC / Heavy-duty			
polymer covers with			
bolted arrangement			
Dimensions:			
Minimum <b>300 mm x</b>			
300 mm opening			
with depth based			
on soil conditions			
<ul> <li>Marking: Earthing</li> </ul>			
symbol and system			
details to be clearly			
engraved			
4. Installation			
Requirements:			
<b>Excavation &amp; Electrode</b>			
Placement:			
Bore diameter: 100 mm to			
<b>200 mm</b> , depending on			
electrode size			
Depth: Minimum <b>2.5 m to</b>			
<b>3.0 m</b> , ensuring optimal			
soil contact			


				1
	Electrode shall be placed			
	vertically and surrounded			
	with the backfill compound			
	Moisture Maintenance:			
	Watering pipe			
	arrangement shall be			
	provided to ensure			
	consistent moisture levels			
	Soil resistivity tests to be			
	conducted before and			
	after installation			
	<ul> <li>Interconnection:</li> </ul>			
	Copper strip (25mm x			
	3mm or as per design) /			
	GI strip (50mm x 6mm) to			
	be used for connections			
	Exothermic welding or			
	suitable connectors for			
	secure bonding			
	5. Testing &			
	Commissioning:			
	Earth resistance			
	measurement as per <b>IS</b>			
	<b>3043</b> guidelines			
	Resistance should be less			
	than <b>1 Ohm</b> for critical			
	installations			
	Multiple readings under			
	different conditions to			
	ensure stability			
	6. Warranty &			
	Maintenance:			
	Minimum 5-year			
	warranty on			
	electrode and			
	compound			
	performance			l
	Annual			
	maintenance			
	contract (AMC)			l
	provisions for			l
	periodic testing and			l
	enhancement			
	ennancement			
15	Supply, installation,			ł
15	testing, and			
	commissioning of an 80L			
	capacity storage water			
	dispenser suitable for			
	indoor installation. The			
				l

	unit shall have the following specifications:			
	Water Outlet Temperature & Flow Rate:	Each	22	
	Comfort level hot water outlet temperature: 180°C at rated condition Hot water flow rate: 60 LPH Storage Capacity:			
	Cold water: 65L Ambient water: 15L Hot water: 2L Material & Construction:			
	Storage tank material: SS304 (Stainless Steel 304) Outer body material: Pre- laminated sheet Cooling System:			
	Refrigerant: R134a The unit shall be complete in all respects, including necessary accessories, and shall be installed as per the manufacturer's guidelines. (Only reputed brand acceptable).			
16.	Supply and installation of Convection Microwave Oven of capacity 32 L with Convection Power Consumption: 2400 W, Grill Power Consumption: 1250 W, Power Output: 900 W, Microwave Power Levels: 5, Voltage / Frequency: 230V / 50 Hz(with Auto Cook Facilities) of a reputed	Each	06	
	brand and other specs as stated in the tender documents. The supplier			

must provide installation and demonstration upon delivery		
(A) Total work amount (INR) incl		
Labour Cess @ 1% total basic value		
Total Amount of works in Rs. (Includ		

Annexwie-I


IIM New Washing Zone H-1,H-2,H-4,H-5 & Faculty-06									
Annexure-I (Tentative Quantity)									
Sno	Discription of Items	Size	Quantity/Hos tel(Unit in Nos)	Quantity for all 4 Hostels(Unit in Nos)	For Faculty- 06(Unit in Nos)	Total Quantity(Unit in Nos )			
1	20mm CPVC PIPE	03 MTR	14	56	3	59			
2	20mm CPVC TEE		12	48	2	50			
3	20mm CPVC ELBOW		16	64	10	74			
4	20mm CPVC SOCKET		15	60	3	63			
5	20/15mm Brass Elbow		6	24	2	26			
6	20mm CPVC Valve		1	4	1	5			
7	75mm PVC Pipe	6 mtr	4	16	2	18			
8	75mm PVC y		4	16	1	17			
9	75mm PVC Tee	e Parts	2	8		8			
10	75mm Pvc Socket		12	48	4	52			
11	75mm PVC Door Bend		2	8		8			
12	75mm PVC Plain Bend		6	24		24			
13	75mm PVC 45 degree Bend		6	24		24			
14	110/75 PVC Trap		6	24	02	26			
15	5" CP Hole NET (Jaali)		6	24	02	26			
16	Angle Cock/Tap		6	24	2	26			
17	CP Cap		6	24		24			
18	15mm PVC Plug Nipple		6	24		24			
19	3" CP Nipple		6	24		24			
20	20mm CPVC Cap		6	24	10	34			
21	Solvent	250 ml	1	4		4			
22	110 mm PVC Pipe	6 mtr	2	8		8			
23	110/75mm PVC Reducer		4	16		16			
24	4inch Socket 110mm		5	20		20			
25	Bush CPVC 20 mm		4	16		16			
26	4 Inch Shoe Bend		4	16		16			
27	4 Inch Bend 110 mm		4	16		16			
28	20 mm CPVC Elbow 45 Dgree		6	24		24			
29	2.5 inch CP Nipple		6	24		24			
30	1 Inch CP Nipple		6	24		24			





Mashing Area Right Side ->

Drawing for Aluminum Section and Glass work (Tentative)

Annexwie-IL







n			
+	Innex	1070	- 11
V	1.1.11	and	

Annexure-II (Tentative AC For One Hostel							For 04	
Sr.No	Area	PVC	L(mm)	W(mm)	L(m)	W(m)	Area(m2)	Hostel+Faculty06
1	ACP-01	Right Side	590	1440	0.59	1.44	0.8496	3.3984
2	ACP-02	Right Side	370	1620	0.37	1.62	0.5994	2.3976
3	ACP-03	Right Side	910	490	0.91	0.49	0.4459	1.7836
4	ACP-04	Right Side	1025	920	1.025	0.92	0.943	3.772
5	ACP-05	Left Side	610	1420	0.61	1.42	0.8662	3.4648
6	ACP-06	Left Side	370	2250	0.37	2.25	0.8325	3.33
7	ACP-07	Left Side	1030	1240	1.03	1.24	1.2772	5.1088
8	ACP-08	Left Side	900	800	0.9	0.8	0.72	2.88
9	ACP-09	Iron Area	350	980	0.35	0.98	0.343	1.372
10	ACP-10	Iron Area	1100	1680	1.1	1.68	1.848	7.392
11	ACP-11	Iron Area	1180	1680	1.18	1.68	1.9824	
12	ACP-12	Iron Area	920	810	0.92	0.81	0.7452	7.9296
13	ACP-13	Iron Area	1700	800	1.7	0.8	1.36	2.9808
14	ACP-14	Iron Area	750	1130	0.75	1.13	0.8475	5.44
15	ACP-15	Iron Area	1700	710	1.7	0.71	1.207	3.39
16	ACP-16	Faculty-06	2150	920	2.15	0.92		4.828
Total Tentative Quantity in Sqm							1.978 61.4456	

Anne xwie-I

		Annexure-II	(Tentativ	e Glass Q	uantity)			
For One Hostel							For 04 Nos	
Sr.No	Area	Glass	L(mm)	W(mm)	L(m)	W(m)	Area (m2)	Hostel/Faculty06
1	Window-01	Right Side	920	1440	0.92	1.44	1.3248	5.2992
2	Window-02	Right Side	1160	490	1.16	0.49	0.5684	2.2736
3	Door-01	Right Side	1000	920	1	0.92	0.92	3.68
4	Window-01	Left Side	1420	920	1.42	0.92	1.3064	5.2256
5	Window-02	Left Side	1000	1240	1	1.24	1.24	4.96
6	Door-01	Left Side	1000	800	1	0.8	0.8	3.2
7	Window-01	Iron side	910	1130	0.91	1.13	1.0283	4.1132
8	Door-01	Iron Side	1000	810	1	0.81	0.81	3.24
9	Window-01	Right Side(Faculty-06)	980	1270	0.98	1.27	1.2446	1.2446
10	Window-02	Right Side(Faculty-06)	980	1270	0.98	1.27	1.2446	1.2446
11	Window-03	Centre (Faculty-06)	960	2200	0.96	2.2	2.112	2.112
12	Window-04	Centre (Faculty-06)	80	920	0.08	0.92		0.0736
Total Glass Quantity in Sqm							12.6727	36.6664